



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC 1819

Certificate only valid if verified on website - www.ifccertification.com

This is a product certificate to certify that

Laing O'Rourke Joinery LLC

Jebel Ali Industrial Area 2

P.O. Box 121895

Dubai

United Arab Emirates

Tel: +971 4 880 2488

Who fabricate the following timber fire doors and or doorsets:

Own Design

FD60, FD90 Single & Double Doorsets with & Without Vision Panels (FireBan Cores)

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **EN1634-1**, the inspection of their Factory Production Control continuing surveillance audits and testing of samples of products taken from production. The product specification to achieve **60 to 90 minutes integrity and insulation** performance are detailed on page 2 of this certificate.



Issued: 21 February 2023

Valid to: 20 February 2028

Issue No: 1

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.



175

Ian Woodhouse
Head of Technical – IFC Certification

IFC Certification Ltd, Ground Floor, Building 2, Bear Brook Office Park, Walton Street, Aylesbury, HP21 7GQ, UK
Tel: +44 (0)1844 276920 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.

Certificate number: IFCC 1819

The production of fire-resistant timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

Doorset Description	Fire Rating	Assessment/Test Report
Fire rated Double Door with VP (Fireban Core)	60 minutes	190727685
Fire rated Single Door (Fireban Core)	60 minutes	191222725
Fire rated Single Door (Fireban Core)	90 minutes	190909700
Fire rated Single Door with VP (Fireban Core)	90 minutes	200202750

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder’s responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise- the fire performance.