



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC 1818

Certificate only valid if verified on website – www.ifccertification.com

Issued by IFC Certification Ltd part of the Kiwa UK Group

This is to certify that

Laing O'Rourke Joinery LLC

Jebel Ali Industrial Area 2
P.O. Box 121895
Dubai
United Arab Emirates
Tel: +971 4 880 2488

Who fabricate the following timber fire doors and or doorsets:

Halspan FD30, FD60, FD90, FD120
FireBan FD30, FD60, FD90, FD120
Strebord FD30, FD60
Ramkor FD60, FD90, FD120
Own Design FD60, FD90, FD120 (Fireban core)
Own Design FD60 (Halspan core)

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of their Factory Production Control continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes** integrity are detailed on page 2 of this certificate.

Initial Certification: 21 February 2023
Reissued: 07 November 2023
Valid to: 20 February 2028
Issue number: 2

Ian Woodhouse
Head of Technical – IFC Certification
Kiwa Ltd

*This certificate consists of 2 pages.
Publication of this certificate is permitted.*

CERTIFICATE



The production of fire-resistant timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

Doorset Description	Fire Rating	Assessment/Test Report
Halspan Prima	FD30	IFCA06166
Halspan Prima	FD60	IFCA06167
Halspan Optima	FD30	PAR/10341/01
Halspan Optima	FD60	PAR/10341/02
Halspan	FD90	PAR/10513/01
Halspan	FD120	PAR/10513/02
Halspan Prima Plus	FD30	PAR/15953/01
Halspan Prima Plus	FD60	IFCA/15953/02
Halspan Prima Plus	FD90	PAR/17519-01 A
Halspan Prima Plus	FD120	PAR/17519-02 B
Fireban	FD30	PAR/10346/01
Fireban	FD60	PAR/10346/02
Fireban	FD90	PAR/11018/01
Fireban	FD120	PAR/13335/01
Strebord	FD30	Chilt/A02066, IFCA/08037
Strebord	FD60	Chilt/A02067, IFCA/08038
Ramkor	FD60, FD90	PAR/17082/01
Ramkor FD120 Plus	FD120	PAR/19681/01
Ramkor	FD90	WF383876
Double Door (Fireban core)	FD60	211018921
Double Door with VP (Fireban core)	FD90	200926817
Double Door (Fireban core)	FD60	180114562
Double Door with VP (Fireban core)	FD60	171218557
Double Door with VP (Fireban core)	FD90	170518496
Single Door (Fireban core)	FD60	170412479
Single Door with VP (Fireban core)	FD90, FD120	170411474
Single Door (Halspan core)	FD60	XE037-1A & 2A

Signed on behalf of Kiwa Ltd



Ian Woodhouse
Head of Technical – IFC Certification
Kiwa Ltd

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.